



Multiblindo classic

**Lock for
metal frames**





Multiblando classic



It has been designed and tested

according to the European standards EN 12209:05 (lateral locking version) and prEN 15685 (3-point locking version).

It resists lateral forcing with a thrust of over 1,000 kg and a front load of over 600 kg.

The corrosion resistance is more than 240 hours in a saline environment.

Endurance: tested to over 200,000 opening and closing cycles under a 120N load.

Example of certification lock Multiblando, series 7955 - 7945 - 7991 - 79034





Adopting MULTIBLINDO, together with ISEO cylinders range, means reaching an extremely high security standard to the doors.


MULTIBLINDO's security features include:

- steel lock case, closed on all sides;
- reinforced deadbolts with carbonitrided steel layers for high cut and drill protection;
- new deadbolt system (patented) preventing cracking (fig. 2,3,4);
- external forces applied on one of the deadbolts have no effect on the other two, which means that any eventual cracking attempts would have to be repeated separately for each deadbolt.


- A) DEADBOLT fulcrum pin
- B) Programmed breaking point
- C) Security pins
- D) Movement transmission and DEADBOLT locking rod




Open lock



Closed lock. Blocking is ensured by element "D", which opposes the deadbolt and secures it against the back wall of the lock case. Pins "C" are not operating.



By applying an upwards force, equivalent to one metric ton, breaking point "B" yields letting pins "C" insert themselves into their respective spaces in the plate consolidated to the lock case. The deadbolt and the case fundamentally become one single body.



The deadbolt can no longer enter again the lock case when its rotation axis is moved, as it interferes with the front plate "E".

Multiblindo classic

Kurzbericht
Nr. 212 24151



Auftrag Prüfung der einbruchhemmenden Eigenschaften nach DIN V ENV 1627

Auftraggeber Tegtmeler GmbH & Co. KG Metalbauwerk
Oeynhausener Str. 40
32584 Löhne/Westfalen

Probekörper
Prüfdatum: 26. Juli 2001
Produktbezeichnung: **„Tebau Therm 80“**
Bauart: einflügelige Aluminiumrahmentür mit Seitenteil
Angriffsseite: Schließseite / Schließfläche gemäß DIN 107
Außenabmessungen: 1400 mm x 2100 mm (B x H)
Rahmenmaterial: Aluminium
Profilsystem: TT30
Konstruktionsfugen: Schattenfuge 4mm, unten 20 mm
Beschläge: Schloss Fa. ISEO Multi Blindo nach DIN 12209 Klasse 5 mit Profilzylinder der Fa. Dom, Art.-Nr.: 25 500 91 sowie mit verdeckt liegendem Band der Fa. Tebau.
Verglasung: nach DIN 52290 - B1
Panel: nach DIN 52290 - B3
Montage: Montageanleitung Stand Januar 2001, Blatt 1
Ausführungsvarianten: - Abweichungen von der geprüften Größe gemäß DIN V ENV 1627 in der Breite maximal + 10% und - 20 % und in der Höhe maximal + 10% und - 20 %, - weitere Ausführungsvarianten siehe Anlage 1, Blatt 1

Ergebnis
Der Probekörper erfüllt die Anforderungen an einbruchhemmende Türen der **Widerstandsklasse 3 nach DIN V ENV 1627 : 1999**

Verwendung von IFT-Prüfberichten
Entsprechend dem IFT-Merkblatt und nur so lange, wie sich die Bauart des Produktes sowie der Inhalt und die Gültigkeit der Norm nicht ändern.

IFT Rosenheim
20. September 2001

Dr. Heirich Hohenstein
Institutleiter

I. A. Christian Kahrer
Leiter Prüffeld Türen, Tore, Sicherheit

Institut für Fensterlehre e.V.
Leder Dr. Heirich Hohenstein
Theodor-Gieß-Str. 7-9
83228 Rosenheim


Telefon +49 (0) 8201 251-0
Telefax +49 (0) 8201 251-266
e-mail info@ift-rosenheim.de
http://www.ift-rosenheim.de

Speziallabor Rosenheim
Fels 22, Bld. 711 8565 00
Postfachamt München,
Kb. 2349 25-01 (BLZ 700 100 00)

DAF-PL-0200-01

The door fitted with a Multiblindo lock and tested by the German Institute IFT ROSENHEIM passed **CLASS 3 test** according to **EUROPEAN STANDARD DIN V ENV 1627**

EUROPEAN STANDARD DIN V ENV 1627.
All MULTIBLINDO series locks have obtained **GRADE 7** according to the security requirement **pr EN 15685.**



Zertifikat
über die
Anerkennung
von
Bauteilen und Systemen

Von der Anerkennung:
Iseo Serrature s.p.a.
Via S. Girolamo 13
IT-25055 Pisogne (BS)

Zertifikats-Nr.	Anzahl der Seiten	Gültig vom	Gültig bis
M 110357	4	10.12.2010	09.12.2014

Gegenstand der Anerkennung:
Zylinderschloss - Klasse C
Baureihe Multiblindo

Verwendung:
als mechanische Sicherungseinrichtung

Zusammenfassung:
VdS 2344 : 2005-12, Verfahren für die Prüfung, Anerkennung und Konformitätsbewertung von Geräten, Bauteilen und Systemen der Brandschutz- und Sicherheitstechnik
VdS 2841 : 2005-12, Durchführung von Produktüberwachungen
VdS 2201 : 2004-02, Richtlinien für mechanische Sicherungseinrichtungen, Zylinderschlösser, Anforderungen und Prüfmethoden
DIN 18 251-3 : 2002-11, Schlösser, Einsteckschlösser als Mehrfachverriegelung


Köln, den 10. Dezember 2010

Schlingel
Geschäftsführer

ppa. Urban
Leiter der Zertifikatsstelle

VdS Schadenverhütung GmbH
Zertifizierungsstelle
Ankerstr. Nr. 11x
D-50739 Köln
Ein Unternehmen des Gesamtverbandes der Deutschen Versicherungswirtschaft e.V. (GDV)
abgetrennt aus Zertifikatsstelle für die Bereiche Brandschutz- und Sicherheitstechnik von der Zertifikatsstelle für die Bereiche Brandschutz- und Sicherheitstechnik (DATechno)





Deutscher
Zertifikatsstelle
DAT-ZE 005/92



VDS is an independent German institute. A VDS certification helps end users to distinguish high quality from mediocre products and services. ISEO Serrature has obtained the highest security certification for Multiblindo product range, **CLASS C.**



Multiblindo classic 92 mm centre distance



Codice							
Art.	E	A	S	B	F		
79**	10	25	2	22	37.5	24	3
		30		27	42.5		
		35		32	47.5		
		40		37	52.5		

Codice							
Art.	E	A	S	B	F		
79**	00	25	2	18	33.5	24	6
		30		23	38.5		
		35		28	43.5		
		40		33	48.5		
01	25			18	33.5		
	30			23	38.5		
	35			28	43.5		
	40			33	48.5		

Codice							
Art.	E	A	S	B	F		
79**	50	25	0	18	33.5	22	7
		30		23	38.5		
		35		28	43.5		
		40		33	48.5		



MULTIBLINDO mortice lock for metal frames, **MODULAR, ROTATING DEADBOLT.**

Central lock, centre distance mm 92, operating with European profile cylinder.

Front plate with holes for additional deviators. Rotating deadbolt, mm 27 throw with antidrill/anticut cover plates in carbonitrided steel.

Supplied with reversible and adjustable latchbolt. The latchbolt can be replaced with roller or cap for deadlocking only. Latchbolt/roller operated by key or mm 8 handle follower.

Built-in connecting rods between lock and deviators. 2 nylon end blocks for U-version.

Fixing screws. Instruction sheet.

Accessories to be ordered separately:

Rotating deadbolt deviator - ref. N. 790330000

Rotating hook deviator - ref. N. 790340000

Bottom-locking deviator - ref. N. 790310000

Top-locking deviator - ref. N. 790320000

Modular roller for latchbolt hole - ref. N. 040801/2/3/4

Modular cap for latchbolt hole - ref. N. 040810

Cylinder escutcheon - ref. N. 040809 - cod. 98.05.04/05/06

Anti-drill plate - ref. N. 040805. 25/30/35/40

Striking plates



Code


Status

Single
package

Multiple
package


Min. ord.

Multiblindo classic 92 mm centre distance




U-front plate mm 2300x24x6 in stainless steel. Backset mm 25	799100252	A	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 30	799100302	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 35	799100352	A	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 40	799100402	B	1	-	1


U-front plate mm 1860x24x6 in stainless steel. Backset mm 25	799101252	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 30	799101302	A	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 35	799101352	B	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 40	799101402	D	1	-	1



U-front plate mm 2300x24x5 in stainless steel. Backset mm 25	799130252	B	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 30	799130302	C	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 35	799130352	B	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 40	799130402	C	1	-	1



Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 25	799110252	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 30	799110302	C	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 35	799110352	A	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 40	799110402	B	1	-	1




U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 25	799150250	C	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 30	799150300	B	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 35	799150350	B	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 40	799150400	D	1	-	1



Code

Status
Single
package
Multiple
package
Min. ord.

Multiblindo classic




DEVIATOR FOR MULTIBLINDO, lower locking, to be applied on the modular front plate.

M8 threaded square for tip bolt. Multi-faceted, anti-screw **TIP BOLT Ø 14X55** with threaded hole M8, tip length mm 20. Antidust brass rod cap Ø 18. Screws and pins.

Accessories to be ordered separately:

Floor socket 040807

790310000 B 1 10 10



DEVIATOR FOR MULTIBLINDO, upper locking, to be applied on the modular front plate.

M8 threaded square for tip bolt. Multi-faceted, anti-screw **TIP BOLT Ø 14X55** with threaded hole M8, tip length mm 20. Zinc-plated plate and nylon tip-guiding spacer. Screws and pins.

Accessories to be ordered separately:

Upper striker 040806

790320000 B 1 10 10



DEVIATOR FOR MULTIBLINDO, lateral locking, to be applied on the modular front plate. **ROTATING DEADBOLT**

27 mm throw with antidrill and anticut cover plates in carbonitrided steel. Screws.

Accessories to be ordered separately:

Striking plates

790330000 A 1 10 10



DEVIATOR FOR MULTIBLINDO, lateral locking, to be applied on the modular front plate. **ROTATING HOOK,**

clearance mm 15,5 and mm 26,5 throw with antidrill and anticut cover plates in carbonitrided steel and sliding latchbolt. Screws.





Accessories to be ordered separately:

Striking plates

790340000 A 1 10 10



Multiblindo classic 92 mm centre distance



Codice							
Art.	E	A	S	B	F		
79**	10	25	2	22	37.5	24	3
		30		27	42.5		
		35		32	47.5		
		40		37	52.5		

Codice							
Art.	E	A	S	B	F		
79**	00	25	2	18	33.5	24	6
		30		23	38.5		
		35		28	43.5		
		40		33	48.5		
01	25	30		18	33.5		
		30		23	38.5		
		35		28	43.5		
		40		33	48.5		

Codice							
Art.	E	A	S	B	F		
79**	50	25	0	18	33.5	22	7
		30		23	38.5		
		35		28	43.5		
		40		33	48.5		



MULTIBLINDO mortice lock for metal frames, 3-POINT LOCKING, **DEVIATORS, ROTATING DEADBOLT.**

Central lock, centre distance mm 92, operating with European profile cylinder.

Mm 27 throw with anti-drill/anti-cut cover plates in carbonitrided steel.

Supplied with reversible and adjustable latchbolt. The latchbolt can be replaced with roller or cap for deadlocking only. Latchbolt/roller operated by key or mm 8 handle follower.

2 lateral-locking deviators, assembled, with rotating deadbolt mm 27 throw with antidrill/anticut cover plates in carbonitrided steel.

2 nylon end blocks for U-version. Fixing screws. Instruction sheet.

Accessories to be ordered separately:

Striking plates

Modular roller for latchbolt hole - ref. N. 040801/2/3/4/11/12/13/14/15

Modular cap for latchbolt hole - ref. N. 040810 - cod. 040816

Cylinder escutcheon - ref. N. 040809 - cod. 98.05.04/05/06


Anti-drill plate - ref. N. 040805. 25/30/35/40/45/50/55/60/65




Code

Status
Single
package
Multiple
package
Min. ord.


Multiblindo classic 92 mm centre distance



U-front plate mm 2300x24x6 in stainless steel. Backset mm 25	795100252	C	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 30	795100302	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 35	795100352	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 40	795100402	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 45	795100452	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 50	795100502	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 55	795100552	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 60	795100602	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 65	795100652	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 25	795101252	B	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 30	795101302	A	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 35	795101352	A	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 40	795101402	A	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 45	795101452	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 50	795101502	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 55	795101552	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 60	795101602	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 65	795101652	D	1	-	1



U-front plate mm 2300x24x5 in stainless steel. Backset mm 25	795130252	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 30	795130302	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 35	795130352	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 40	795130402	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 45	795130452	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 50	795130502	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 55	795130552	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 60	795130602	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 65	795130652	D	1	-	1



Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 25	795110252	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 30	795110302	A	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 35	795110352	A	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 40	795110402	B	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 45	795110452	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 50	795110502	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 55	795110552	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 60	795110602	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 65	795110652	D	1	-	1



Code


Status

Single
package

Multiple
package

Min. ord.



Multiblindo classic 92 mm centre distance



U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 25	795150250	D	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 30	795150300	D	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 35	795150350	B	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 40	795150400	D	1	-	1



Multiblindo classic 92 mm centre distance



Codice						
Art.	E	A	S	B	F	
79** 10	25	2	22	37.5	24	3
	30		27	42.5		
	35		32	47.5		
	40		37	52.5		

Codice						
Art.	E	A	S	B	F	
79** 00	25	2	18	33.5	24	6
	30		23	38.5		
	35		28	43.5		
	40		33	48.5		
01	25		18	33.5		
	30		23	38.5		
	35		28	43.5		
	40		33	48.5		

Codice						
Art.	E	A	S	B	F	
79** 50	25	0	18	33.5	22	7
	30		23	38.5		
	35		28	43.5		
	40		33	48.5		



MULTIBLINDO mortice lock for metal frames, 3-POINT LOCKING, **ROTATING HOOK DEVIATORS**.

Central lock, centre distance mm 92, operating with European profile cylinder.

Rotating deadbolt, mm 27 throw, with anti-drill/anti-cut cover plates in carbonitrided steel.

Supplied with reversible and adjustable latchbolt. The latchbolt can be replaced with roller or cap for deadlocking only. Latchbolt/roller operated by key or mm 8 handle follower.

2 hook deviators clearance mm 15,5, lateral locking, mm 27 throw with anti-drill/anti-cut cover plates in carbonitrided steel and sliding deadbolt. Cylinder screw.

2 nylon end blocks for U-version. Fixing screws. Instruction sheet.

Accessories to be ordered separately:

Striking plates

Modular roller for latchbolt hole - ref. N. 040801/2/3/4/11/12/13/14/15

Modular cap for latchbolt hole - ref. N. 040801 - cod. 040816

Cylinder escutcheon - ref. N. 040809 - cod. 98.05.04/05/06

Anti-drill plate - ref. N. 040805. 25/30/35/40/45/50/55/60/65




Code

Status
Single
package


Min. ord.

Multiblindo classic 92 mm centre distance




U-front plate mm 2300x24x6 in stainless steel. Backset mm 25	795500252	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 30	795500302	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 35	795500352	A	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 40	795500402	B	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 45	795500452	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 50	795500502	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 55	795500552	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 60	795500602	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset mm 65	795500652	D	1	-	1

U-front plate mm 1860x24x6 in stainless steel. Backset mm 25	795501252	C	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 30	795501302	C	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 35	795501352	A	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 40	795501402	C	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 45	795501452	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 50	795501502	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 55	795501552	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 60	795501602	D	1	-	1
U-front plate mm 1860x24x6 in stainless steel. Backset mm 65	795501652	D	1	-	1



U-front plate mm 2300x24x5 in stainless steel. Backset mm 25	795530252	B	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 30	795530302	C	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 35	795530352	B	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 40	795530402	C	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 45	795530452	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 50	795530502	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 55	795530552	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 60	795530602	D	1	-	1
U-front plate mm 2300x24x5 in stainless steel. Backset mm 65	795530652	D	1	-	1



Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 25	795510252	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 30	795510302	B	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 35	795510352	A	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 40	795510402	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 45	795510452	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 50	795510502	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 55	795510552	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 60	795510602	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset mm 65	795510652	D	1	-	1



Code


Status

Single
package

Multiple
package

Min. ord.

Multiblindo classic 92 mm centre distance



U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 25	795550250	D	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 30	795550300	C	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 35	795550350	A	1	-	1
U-front plate mm 2300x22x7 in BLACK PAINTED aluminium. Backset mm 40	795550400	D	1	-	1




Code

Status
Single
package

Multiple
package

Min. ord.

Accessories Multiblindo classic and Blindo



Modular roller for MULTIBLINDO and BLINDO with a nylon insert for fixed striking plate and a nylon insert for adjustable striking plate. It can replace the latchbolt.

For lock backset mm 25	040801	C	10	-	10
For lock backset mm 30	040802	B	10	-	10
For lock backset mm 35	040803	A	10	-	10
For lock backset mm 40	040804	B	10	-	10
For lock backset mm 45	040811	D	10	-	10
For lock backset mm 50	040812	D	10	-	10
For lock backset mm 55	040813	D	10	-	10
For lock backset mm 60	040814	D	10	-	10
For lock backset mm 65	040815	D	10	-	10



Modular cap for MULTIBLINDO and BLINDO for backsets from 25 mm to 65 mm. In NYLON. To be fitted instead of the latchbolt for only deadbolt versions. Screw.

040816	B	10	-	10
---------------	---	----	---	----



MODULAR ANTIDRILL PLATE for MULTIBLINDO and BLINDO.

To be fixed to the lock for pin protection.


For lock backset mm 25	040805.25	D	10	-	10
For lock backset mm 30	040805.30	C	10	-	10
For lock backset mm 35	040805.35	B	10	-	10
For lock backset mm 40	040805.40	D	10	-	10
For lock backset mm 45	040805.45	D	10	-	10
For lock backset mm 50	040805.50	D	10	-	10
For lock backset mm 55	040805.55	D	10	-	10
For lock backset mm 60	040805.60	D	10	-	10
For lock backset mm 65	040805.65	D	10	-	10



UPPER STRIKER for MULTIBLINDO, vertical locking. 2 tip-guiding plates \varnothing mm 14.

Rod-guiding nylon spacer.

040806	D	10	-	10
---------------	---	----	---	----



Brass FLOOR SOCKET with antidust spring cap for rods.

Inside hole \varnothing mm 18. For MULTIBLINDO tip bolt.

040807	B	10	-	10
---------------	---	----	---	----



Code

Status

Single
package

Multiple
package


Min. ord.

Accessories Multiblindo classic and Blindo



Multi-faceted Ø mm 14 TIP for threaded rods M8. For MULTIBLINDO.
In zinc-plated carbonitrided steel.
Elastic pin. Drawing pin.

040808 C 10 - 10




MODULAR ESCUTCHEON for MULTIBLINDO and BLINDO, European profile cylinder, internal fixing.
Internal and external escutcheons in aluminium. External plate and antidrill disk
in carbonitrided steel. Plate spacer. Spacers. Antidrill balls for screw protection. Screws.
BLACK PAINTED

040809 B 1 -1

MODULAR ESCUTCHEON for MULTIBLINDO and BLINDO, European profile cylinder, internal fixing.
Internal and external escutcheons in aluminium. External plate and antidrill disk in carbonitrided steel.
Plate spacer. Spacers. Anti-drill balls for screw protection. Screws.
RAW ALUMINIUM

040809G C 1 - 1



IRON. ESCUTCHEON for European profile cylinder. **Tempered steel.**
Internal escutcheon in nylon. Fixing screws.
For projecting cylinders 4 a 11,3 mm.

SATIN NICKEL PLATED	98.05.0204	D	1	-	1
BLACK PAINTED	98.05.0205	D	1	-	1
POLISHED BRASS PLATED	98.05.0206	D	1	-	1



For locks for metal frames series 79*




Code

Min. ord.
Multiple package
Single package
Status

Multiblindo classic




Closed striking stainless steel plate for **CENTRAL LOCK** MULTIBLINDO. Material: stainless steel. Flat front plate **220x24x3**. Can be used with mechanical striker 040890 or electric striker 040900-040910.



RIGHT-HAND adjustable **DIN LEFT**



ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Scirblin 65
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
DOMAL Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
PASSERINI Ekip Blindo
SCHÜCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT

033160 B 1 10 10




LEFT-HAND adjustable **DIN RIGHT**

033161 B 1 10 10




Closed striking plate for **CENTRAL LOCK** MULTIBLINDO. Material: stainless steel. U-front plate **220x24x6**. Can be used with mechanical striker 040890 or electric striker 040900-040910.



RIGHT-HAND adjustable **DIN LEFT**

ALCAN Abithal Keeper Porta 53-60 / 61-68
Abithal Porta / Winner Porta
ALCOA FB 12 Blindato Porta
Plana 1 Anta / Plana 2 Ante
ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Scirblin 65
ALNOR Montreal Porta
ALUSUISSE Aisec 2000 Porta 59 / Aisec 2000 Porta 69
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
BODEGA Extrablind 70
DOMAL Domal Break 52 Porta / Domal Break 70 Porta
Security Porta / Shops Porta / Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
FRESIA Global 48 Porta
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta
NC 55 Superthermic Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
NEW TEC New Tec 50 Porta Complanare
OCMA SV 47 Porta 1 Anta
SV 62 Porta 1 Anta
SV 62 TT Porta 1 Anta
PASSERINI Ekip Blindo
Ekip Maastricht 53 Porta 1 Anta
Ekip Maastricht 53 Porta 2 Ante
Ekip Maastricht TH 60/68 Porta 1 Anta
Ekip Maastricht TH 60/68 Porta 2 Ante
Ekip Thermo 53 Porta
PROFILATI PE * Eku 53* Porta
PE *Eku 64 TT* Porta
PE *Eku 72 TT* Porta
Sistema 1 PE 40 Complanare / Esterno 2 Ante
Sistema 1 PE 40 Sormonto 2 Ante
SCHÜCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT
WICONA L60A / L70A

033162 B 1 10 10



LEFT-HAND adjustable **DIN RIGHT**

033163 B 1 10 10



For locks for metal frames
series 79*



Code

Min. ord.
Multiple
package
Single
package
Status



Multiblindo classic



- ALLCO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sicurblin 65
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
- DOMAL Stopper PG Porta
- ESA Blindal 60 Porta 1 Ante / 60 Porta 2 Ante
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- PASSERINI Ekip Blindo
- SCHÜCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT

Pair of **ADJUSTABLE** closed striking plates
for top/bottom **DEADBOLT DEVIATORS**
MULTIBLINDO. Material: stainless steel.
Flat front plate **1860x24x3**.
Can be used with central striking plates
033160-033161

033164 D 1 10 10



- ALLCO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sicurblin 65
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
- DOMAL Stopper PG Porta
- ESA Blindal 60 Porta 1 Ante / 60 Porta 2 Ante
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- PASSERINI Ekip Blindo
- SCHÜCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT

Pair of **ADJUSTABLE** closed striking plates for top/bottom
HOOK DEVIATORS MULTIBLINDO. Material: stainless steel.
Flat front plate **1860x24x3**.
Can be used with central striking plates 033160-033161

033165 B 1 10 10



For locks for metal frames
series 79*



Code

Min. ord.
Multiple
package
Single
package
Status

Multiblindo classic



- ALCAN Abithal Keeper Porta 53-60 / 61-68
- Abithal Porta / Winner Porta
- ALCOA FB 12 Blindato Porta
- Plana 1 Anta / Plana 2 Ante
- ALLCO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sicurblin 65
- ALNOR Montreal Porta
- ALUSUISSE Alsec 2000 Porta 59 / Alsec 2000 Porta 69
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALU-MEO Synthesis 57 Porta / Synthesis 60TT Porta
- BODEGA Extrablind 70
- DOMAL Domal Break 52 Porta / Domal Break 70 Porta
- Security Porta / Shops Porta / Stopper PG Porta
- ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
- Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
- FRESIA Global 48 Porta
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- NEW TEC New Tec 50 Porta Complanare
- OCMA SV 47 Porta 1 Anta
- SV 62 Porta 1 Anta
- SV 62 TT Porta 1 Anta
- PASSERINI Ekip Blindo
- Ekip Maastricht 53 Porta 1 Anta
- Ekip Maastricht 53 Porta 2 Ante
- Ekip Maastricht TH 60/68 Porta 1 Anta
- Ekip Maastricht TH 60/68 Porta 2 Ante
- Ekip Thermo 53 Porta
- PROFILATI PE "Eku 53" Porta
- PE "Eku 64 TT" Porta
- PE "Eku 72 Tt" Porta
- Sistema 1 PE 40 Complanare / Esterno 2 Ante
- Sistema 1 PE 40 Sormonto 2 Ante
- SCHÜCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT
- WICONA L60-A / L70-A


Pair of **ADJUSTABLE** closed striking plates for
top/bottom **DEADBOLT DEVIATORS** MULTIBLINDO.

Material: stainless steel. U-front plate **1860x24x6**.

Can be used with central striking plates

033162-033163

033166 D 1 10 10



- ALCAN Abithal Keeper Porta 53-60 / 61-68
- Abithal Porta / Winner Porta
- ALCOA FB 12 Blindato Porta
- Plana 1 Anta / Plana 2 Ante
- ALLCO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sicurblin 65
- ALNOR Montreal Porta
- ALUSUISSE Alsec 2000 Porta 59 / Alsec 2000 Porta 69
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALU-MEO Synthesis 57 Porta / Synthesis 60TT Porta
- BODEGA Extrablind 70
- DOMAL Domal Break 52 Porta / Domal Break 70 Porta
- Security Porta / Shops Porta / Stopper PG Porta
- ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
- Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
- FRESIA Global 48 Porta
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- NEW TEC New Tec 50 Porta Complanare
- OCMA SV 47 Porta 1 Anta
- SV 62 Porta 1 Anta
- SV 62 TT Porta 1 Anta
- PASSERINI Ekip Blindo
- Ekip Maastricht 53 Porta 1 Anta
- Ekip Maastricht 53 Porta 2 Ante
- Ekip Maastricht TH 60/68 Porta 1 Anta
- Ekip Maastricht TH 60/68 Porta 2 Ante
- Ekip Thermo 53 Porta
- PROFILATI PE "Eku 53" Porta
- PE "Eku 64 TT" Porta
- PE "Eku 72 Tt" Porta
- Sistema 1 PE 40 Complanare / Esterno 2 Ante
- Sistema 1 PE 40 Sormonto 2 Ante
- SCHÜCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT
- WICONA L60-A / L70-A

Pair of **ADJUSTABLE** closed striking plates for
top/bottom **HOOK DEVIATORS** MULTIBLINDO.

Material: stainless steel.

U-front plate **1860x24x6**.

Can be used with central striking plates

033162-033163

033167 C 1 10 10

For locks for metal frames series 79*



Code


Status
Single package
Multiple package
Min. ord.

Multiblindo classic



Full-size scale


ADJUSTABLE closed striking plate for MULTIBLINDO. Material: stainless steel. Flat front plate **180x24x3**. Can be used with central striking plates 033160-033161.




ALLCO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Sicurlin 65
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
DOMAL Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
PASSERINI Ekip Blindo
SCHÜCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT

DEADBOLT DEVIATORS

033168 B 1 10 10



Full-size scale




HOOK DEVIATORS

033169 A 1 10 10



Full-size scale

ADJUSTABLE closed striking plate for MULTIBLINDO. In INOX U-front plate **180x24x6**. Da abbinare alle Striking plates 033162-033163.




ALCAN Abithal Keeper Porta 53-60 / 61-68
Abithal Porta / Winner Porta
ALCOA FB 12 Blindato Porta
Plana 1 Anta / Plana 2 Ante
ALLCO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Sicurlin 65
ALNOR Montreal Porta
ALUSUISSE Alsec 2000 Porta 59 / Alsec 2000 Porta 69
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
BODEGA Extrablind 70
DOMAL Domal Break 52 Porta / Domal Break 70 Porta
Security Porta / Shops Porta / Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
FRESIA Global 48 Porta
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
NEW TEC New Tec 50 Porta Complanare
OCMA SV 47 Porta 1 Anta
SV 62 Porta 1 Anta
SV 62 TT Porta 1 Anta
PASSERINI Ekip Blindo
Ekip Maastricht 53 Porta 1 Anta
Ekip Maastricht 53 Porta 2 Ante
Ekip Maastricht TH 60/68 Porta 1 Anta
Ekip Maastricht TH 60/68 Porta 2 Ante
Ekip Thermo 53 Porta
PROFILATI PE " Eku 53" Porta
PE " Eku 64 TT " Porta
PE " Eku 72 TT " Porta
Sistema 1 PE 40 Complanare / Esterno 2 Ante
Sistema 1 PE 40 Sormonto 2 Ante
SCHÜCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT
WICONA L60-A / L70-A

DEADBOLT DEVIATORS

033170 C 1 10 10



Full-size scale



HOOK DEVIATORS

033171 A 1 10 10


For locks for metal frames series 79*




Code

Status
Single package
Multiple package
Min. ord.

Multiblindo classic



Full-size scale




Closed striking plate for **CENTRAL LOCK**


MULTIBLINDO. Material: stainless steel.

Flat front plate **220x22x3**.

Can be used with mechanical striker 040890 or electric striker 040900-040910.




RIGHT-HAND adjustable **DIN LEFT**




LEFT-HAND adjustable **DIN RIGHT**

- ALCAN : Abithal Cristal / Abithal Keeper porta C.E. / Winner finestra
- ALCOA : FB 12 GA / Europa GA / FB 12 TT / R 35 reversibile
- R 35 sormonto
- ALLCO : All.Co 5 complanare / Export 40 finestra
- Export 45 TT finestra / Export 50 finestra / Export 50 TT finestra
- Final 40 finestra / Ites P4 complanare / Scirubin C.E.
- ALNOR : Blindo Block / Montreal G.A.
- ALU-K : N53 complanare / N 55 TT complanare
- ALU-MEC : Synthesis 45 finestra / Synthesis 57 finestra
- Synthesis 60 TT finestra
- ALUSUISSE : Alsec 2000 finestra 59 / Alsec 2000 finestra 69
- BODEGA : BGA 50 / New BT 60
- DOMAL : Domal Break 52 finestra / Domal Break 70 finestra
- Domal Stopper PG finestra
- EQUIPE : Sistema 8000 G.A. finestra 1 ante
- Sistema 8000 G.A. finestra 2 ante / Sistema 8000 TT finestra 1 ante
- Sistema 8000 TT finestra 2 ante
- ESA : Giuntall complanare / Giuntall porta / Isola porta
- ESEDR : GA 53 porta / TT 63 porta / TT 75 porta
- INDINVEST : Alpha 235 complanare
- Alpha 370 TT complanare
- Alpha 445 finestra / Alpha 445 porta 1 ante
- Alpha 658 TT complanare / Alpha Blitz 2000
- Alpha Globo 45 / Alpha Globo 55 / Gold 400 complanare
- Gold 400 sormonto / Gold 500 complanare / Gold 500 sormonto /
- Gold 600 complanare / Gold 600 sormonto
- METRA : NC 45 International finestra / NC 45 Superthermic finestra
- NC 55 International finestra / NC 68 Superthermic finestra
- Nuovo NC 40 complanare / Nuovo NC 40 sormonto 2 ante
- Nuovo NC 50 complanare
- MORELLI : MA 8300
- OCMA : FC 47 finestra / FC 55 finestra / FC 60 TT finestra
- PASSERINI : Ekip 40 complanare 2 ante
- Ekip 40 evoluzione 2 ante
- Ekip 40 sormonto 2 ante / Ekip 50 complanare 2 ante
- Ekip 50 sormonto 2 ante / Ekip Maastricht 53 finestra
- Ekip Maastricht TH 60 finestra / Ekip Maastricht TH 68 finestra
- Ekip Thermo 53 finestra 2 ante
- PROFILATI : PE Eku 53 finestra* / PE Eku 64 TT* finestra*
- PE Eku 72 TT* finestra* / Sistema 1 PE 50 comp. est. 2 ante Sistema 1 PE 50 sormonto 2 ante

033173 C 1 10 10




Full-size scale




Closed striking plate for **CENTRAL LOCK**

MULTIBLINDO. Material: **ALUMINIUM**.

U-front plate **220x22x7**. Can be used with mechanical striker 040890 or electric striker 040900-040910.



RIGHT-HAND adjustable **DIN LEFT**



LEFT-HAND adjustable **DIN RIGHT**

- ALCAN : Abithal Keeper porta 53-60 / 61-68
- Abithal porta / Winner orta
- ALCOA : FB 12 Blindato porta
- Piana 1 ante / Piano 2 ante
- ALLCO : All.co 5 porta / All.co 5 TT porta
- Export 50/50 TT porta / Scirubin 65
- ALNOR : Montreal porta
- ALUSUISSE : Alsec 2000 porta 59 / Alsec 2000 porta 69
- ALU-K : Alublindo / N 45 porta / N 53 porta / N 55 TT porta
- N 62 TT porta
- ALU-MEC : Synthesis 57 porta / Synthesis 60TT porta
- BODEGA : Extrablind 70
- DOMAL : Domal Break 52 porta / Domal Break 70 porta
- Security porta / Shops porta / Stopper PG porta
- ESA : Blindel 60 porta 1 ante / 60 porta 2 ante
- Blindal 70 porta 1 ante / 70 porta 2 ante
- FRESIA : Global 48 porta
- INDINVEST : Alpha 445 porta 2 ante
- METRA : NC 45 International porta
- NC 45 Superthermic porta
- NC 55 International porta
- NC 68 Superthermic porta / Nuovo NC 50 porta Superblindo
- NEW TEC : New Tec 50 porta complanare
- OCMA : SV 47 porta 1 ante / SV 47 porta 2 ante
- SV 62 porta 1 ante / SV 62 porta 2 ante
- SV 62 TT porta 1 ante / SV 62 TT porta 2 ante
- PASSERINI : Ekip Blindo
- Ekip Maastricht 53 porta 1 ante
- Ekip Maastricht 53 porta 2 ante
- Ekip Maastricht TH 60/68 porta 1 ante
- Ekip Maastricht TH 60/68 porta 2 ante
- Ekip Thermo 53 porta
- PROFILATI : PE "Eku 53" porta
- PE "Eku 64 TT" porta
- PE "Eku 72 TT" porta
- Sistema 1 PE 40 complanare / esterno 2 ante
- Sistema 1 PE 40 sormonto 2 ante
- SCHÜCO : Royal 78 ST blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT
- WICONA : L60-A / L70-A

033175 D 1 1 10

033176 C 1 1 10

For locks for metal frames series 79*





Code

Status
Single package

Min. ord.

Multiblindo classic



Pair of **ADJUSTABLE** closed striking plates for top/bottom



HOOK DEVIATORS MULTIBLINDO.

Material: stainless steel. Flat front plate **1860x22x3**.

Can be used with central striking plates 033173-033174

033178 D 1 10 10

- ALCAN : Abithal Cristal / Abithal Keeper porta C.E. / Winner finestra
- ALCOA : FB 12 GA / Europa GA / FB 12 TT / R 35 reversibile
- R 35 sommonto
- ALLCO : All.co 5 complanare / Export 40 finestra
- Export 45 TT finestra / Export 50 finestra / Export 50 TT finestra
- Final 40 finestra / Ites P4 complanare / Scirtubin C.E.
- ALNOR : Blindo Block / Montreal G.A.
- ALU-K : N53 complanare / N 55 TT complanare
- ALU-MEC : Synthesis 45 finestra / Synthesis 57 finestra
- Synthesis 60 TT finestra
- ALUSUISSE : Alsec 2000 finestra 59 / Alsec 2000 finestra 69
- BODEGA : BGA 50 / New BT 60
- DOMAL : Domial Break 52 finestra / Domial Break 70 finestra
- Domial Stopper PG finestra
- EQUIPE : Sistema 8000 G.A. finestra 1 anta
- Sistema 8000 G.A. finestra 2 ante / Sistema 8000 TT finestra 1 anta
- Sistema 8000 TT finestra 2 ante
- ESA : Giuntall complanare / Giuntall porta / Isola porta
- ESEDRA : GA 53 porta / TT 63 porta / TT 75 porta
- INDINVEST : Alpha 255 complanare
- Alpha 370 TT complanare
- Alpha 445 finestra / Alpha 445 porta 1 anta
- Alpha 658 TT complanare / Alpha Blitz 2000 / Alpha Globo 45
- Alpha Globo 55 / Gold 400 complanare / Gold 400 sommonto
- Gold 500 complanare / Gold 500 sommonto / Gold 600 complanare Gold 600 sommonto
- METRA : NC 45 International finestra / NC 45 Superthermic finestra
- NC 55 International finestra / NC 68 Superthermic finestra
- Nuovo NC 40 complanare / Nuovo NC 40 sommonto 2 ante
- Nuovo NC 50 complanare
- MORELLI : MA 8300
- OCMA : FC 47 finestra / FC 55 finestra / FC 60 TT finestra
- PASSERINI : Ekip 40 complanare 2 ante / Ekip 40 evoluzione 2 ante
- Ekip 40 sommonto 2 ante / Ekip 50 complanare 2 ante
- Ekip 50 sommonto 2 ante / Ekip Maastricht 53 finestra
- Ekip Maastricht TH 60 finestra / Ekip Maastricht TH 68 finestra
- Ekip Thermo 53 finestra 2 ante
- PROFILATI : "PE Eku 53 finestra" / "PE Eku 64 TT finestra"
- "PE Eku 72 TT finestra" / Sistema 1 PE 50 comp./est. 2 ante
- Sistema 1 PE 50 sommonto 2 ante



Pair of **ADJUSTABLE** closed striking plates for top/bottom **HOOK DEVIATORS** MULTIBLINDO.

Material: aluminium. U-front plate **1860x22x7**.

Can be used with central striking plates

033175-033176

- ALCAN : Abithal Keeper porta 53-60 / 61-68
- Abithal porta / Winner orta
- ALCOA : FB 12 Blindato porta
- Plana 1 anta / Plana 2 ante
- ALLCO : All.co 5 porta / All.co 5 TT porta
- Export 50/50 TT porta / Scirtubin 65
- ALNOR : Montreal porta
- ALUSUISSE : Alsec 2000 porta 59 / Alsec 2000 porta 69
- ALU-K : Alublindo / N 45 porta / N 53 porta / N 55 TT porta
- N 62 TT porta
- ALU-MEC : Synthesis 57 porta / Synthesis 60TT porta
- BODEGA : Extrablindo 70
- DOMAL : Domial Break 52 porta / Domial Break 70 porta
- Security porta / Shops porta / Stopper PG porta
- ESA : Blindal 60 porta 1 anta / 60 porta 2 ante
- Blindal 70 porta 1 anta / 70 porta 2 ante
- FRESIA : Global 48 porta
- INDINVEST : Alpha 445 porta 2 ante
- METRA : NC 45 International porta
- NC 45 Superthermic porta / NC 55 International porta
- NC 68 Superthermic porta / Nuovo NC 50 porta
- Superblindo
- NEW TEC : New Tec 50 porta complanare
- OCMA : SV 47 porta 1 anta / SV 47 porta 2 ante
- SV 62 porta 1 anta / SV 62 porta 2 ante
- SV 62 TT porta 1 anta / SV 62 TT porta 2 ante
- PASSERINI : Ekip Blindo
- Ekip Maastricht 53 porta 1 anta
- Ekip Maastricht 53 porta 2 ante
- Ekip Maastricht TH 60/68 porta 1 anta
- Ekip Maastricht TH 60/68 porta 2 ante
- Ekip Thermo 53 porta
- PROFILATI : PE "Eku 53" porta
- PE "Eku 64 TT" porta
- PE "Eku 72 TT" porta
- Sistema 1 PE 40 complanare /esterno 2 ante
- Sistema 1 PE 40 sommonto 2 ante
- SCHÜCO : Royal 78 ST blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT
- WICONA : L60A / L70A

033180 D 1 10 10


For locks for metal frames series 79*



Code


Status
Single package
Multiple package
Min. ord.

Multiblindo classic



Full-size scale


ADJUSTABLE closed striking plate
MULTIBLINDO. Material: stainless steel.
Flat front plate **180x22x3**. Can be used with
central striking plates 033173-033174




DEADBOLT DEVIATORS

ALCAN : Abithal Cristal / Abithal Keeper porta C.E. / Winner finestra
ALCOA : FB 12 GA / Europa GA / FB 12 TT / R 35 reversibile
R 35 sormonto
ALLCO : All.Co 5 complanare / Export 40 finestra
Export 45 TT finestra / Export 50 finestra / Export 50 TT finestra
Final 40 finestra / Ites P4 complanare / Scirtolin C.E.
ALNOR : Blindo Block / Montreal G.A.
ALU-K : N53 complanare / N 55 TT complanare
ALU-MEC : Synthesis 45 finestra / Synthesis 57 finestra
Synthesis 60 TT finestra
ALUSUISSE : Alsec 2000 finestra 59 / Alsec 2000 finestra 69
BODIGA : BGA 50 / New BT 60
DOMAL : Domal Break 52 finestra / Domal Break 70 finestra
Domal Stopper PG finestra
EQUIPE : Sistema 8000 G.A. finestra 1 ante
Sistema 8000 G.A. finestra 2 ante / Sistema 8000 TT finestra 1 ante
Sistema 8000 TT finestra 2 ante
ESA : Giuntall complanare / Giuntall porta / Isola porta
ESEDRA : GA 53 porta / TT 63 porta / TT 75 porta
INDINVEST : Alpha 255 complanare
Alpha 370 TT complanare
Alpha 445 finestra / Alpha 445 porta 1 ante
Alpha 658 TT complanare / Alpha Blitz 2000 / Alpha Globo 45
Alpha Globo 55 / Gold 400 complanare / Gold 400 sormonto
Gold 500 complanare / Gold 500 sormonto / Gold 600 complanare
Gold 600 sormonto
METRA : NC 45 International finestra / NC 45 Superthermic finestra
NC 55 International finestra / NC 68 Superthermic finestra
Nuovo NC 40 complanare / Nuovo NC 40 sormonto 2 ante
Nuovo NC 50 complanare
MORELLI : MA 8300
OCMA : FC 47 finestra / FC 55 finestra / FC 60 TT finestra
PASSERINI : Ekip 40 complanare 2 ante / Ekip 40 evoluzione 2 ante
Ekip 40 sormonto 2 ante / Ekip 50 complanare 2 ante
Ekip 50 sormonto 2 ante / Ekip Maastricht 53 finestra
Ekip Maastricht TH 60 finestra / Ekip Maastricht TH 68 finestra
Ekip Thermo 53 finestra 2 ante
PROFILATI : "PE" Eku 53 "finestra" / "PE" Eku 64 TT "finestra"
"PE" Eku 72 TT "finestra" / Sistema 1 PE 50 comp./est. 2 ante
Sistema 1 PE 50 sormonto 2 ante

033181 D 1 10 10




Full-size scale




HOOK DEVIATORS

033182 C 1 10 10



Full-size scale


ADJUSTABLE closed striking plates for top/bottom
MULTIBLINDO. Material: aluminium.
U-front plate **180x22x7**. Can be used
with central striking plates 033175-033176.




DEADBOLT DEVIATORS

ALCAN : Abithal Keeper porta 53-60 / 61-68
Abithal porta / Winner orta
ALCOA : FB 12 Blindato porta
Plana 1 ante / Plana 2 ante
ALLCO : All.co 5 porta / All.co 5 TT porta
Export 50/50 TT porta / Scirtolin 65
ALNOR : Montreal porta
ALUSUISSE : Alsec 2000 porta 59 / Alsec 2000 porta 69
ALU-K : Alublindo / N 45 porta / N 53 porta / N 55 TT porta
N 62 TT porta
ALU-MEC : Synthesis 57 porta / Synthesis 60TT porta
BODIGA : Extrablind 70
DOMAL : Domal Break 52 porta / Domal Break 70 porta
Security porta / Shops porta / Stopper PG porta
ESA : Blindal 60 porta 1 ante / 60 porta 2 ante
Blindal 70 porta 1 ante / 70 porta 2 ante
FRESIA : Global 48 porta
INDINVEST : Alpha 445 porta 2 ante
METRA : NC 45 International porta
NC 45 Superthermic porta / NC 55 International porta
NC 68 Superthermic porta / Nuovo NC 50 porta
Superblindo
NEW TEC : New Tec 50 porta complanare
OCMA : SV 47 porta 1 ante / SV 47 porta 2 ante
SV 62 porta 1 ante / SV 62 porta 2 ante
SV 62 TT porta 1 ante / SV 62 TT porta 2 ante
PASSERINI : Ekip Blindo
Ekip Maastricht 53 porta 1 ante
Ekip Maastricht 53 porta 2 ante
Ekip Maastricht TH 60/68 porta 1 ante
Ekip Maastricht TH 60/68 porta 2 ante
Ekip Thermo 53 porta
PROFILATI : "PE" Eku 53 "porta"
"PE" Eku 64 TT "porta"
"PE" Eku 72 TT "porta"
Sistema 1 PE 40 complanare / esterno 2 ante
Sistema 1 PE 40 sormonto 2 ante
SCHÜCO : Royal 78 ST blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT
WICONA : L60-A / L70-A

033183 C 1 10 10



Full-size scale



HOOK DEVIATORS

033184 D 1 10 10


For locks for metal frames series 79*




Code

Min. ord.
Multiple package
Single package
Status

Multiblindo classic



Full-size scale



Closed striking plate for **CENTRAL LOCK MULTIBLINDO**. Material: stainless steel. Flat front plate **187x22x5**. With latchbolt guide and nylon roller. Spacers.

For series: 7951* - 7955* - 7971* - 7991* - 7911*.

ALCAN abithal Keeper Porta 53-60 / Abithal Keeper Porta 61-68
Abithal Porta / Winner Porta

ALCO atb 12 Blindato / Formula F40 Porta / Formula F40 Tt Porta
Formula F50 Porta / Formula F50 Tt Porta / Formula F60 Tt Porta
Plana 1 Anta / Plana 2 Anta

ALCO all.Co 5 Porta / All.Co 5 Tt Porta / Export 50 Porta
Export 50 Tt Porta / Sicurblin 65

ALNOR montreal Porta / Alu-kalublindo / N 45 Porta / N 53 Porta
N 55 Tt Porta / N 62 Tt Porta

ALU-MEC synthesis 57 Porta / Synthesis 60 Tt Porta
ALUSUISSE aisec 2000 Porta 59 / Aisec 2000 Porta 69

BODEGA extrablind 70

DOMAL domal Break 52 Porta / Domal Break 70 Porta
Domal Security Porta / Domal Shops Porta

Domal Stopper Pg Porta

ESA Blindal 60 Porta 1 Anta / Blindal 60 Porta 2 Ante

Blindal 70 Porta 1 Anta / Blindal 70 Porta 2 Ante

FRESIA Global 48 Porta

INDINVEST Alpha 445 Porta 2 Ante

METRA Nc 45 International Porta / Nc 45 Superthermic Porta

Nc 55 International Porta / Nc 68 Superthermic Porta

Nuovo Nc 50 Porta / Superblindo

NEW TEC new Tec 50 Porta Complanare

New Tec 52 Tt Porta Complanare

New Tec 68 Tt Porta Complanare

OCMA fc 60 Tt Porta / Sv 47 Porta 1 Anta

Sv 47 Porta 2 Ante

Sv 62 Porta 1 Anta / Sv 62 Porta 2 Ante

Sv 62 Tt Porta 1 Anta / Sv 62 Tt Porta 2 Ante

PASSERINI Ekip Blindo / Ekip Maastricht 53 Porta 1 Anta

Ekip Maastricht 53 Porta 2 Ante / Ekip Maastricht Th 60 Porta 1 Anta

Ekip Maastricht Th 60 Porta 2 Ante

Ekip Maastricht Th 68 Porta 1 Anta

Ekip Maastricht Th 68 Porta 2 Ante / Ekip Thermo 53 Porta

PROFILATI "Pe Eku 53 Porta" / "Pe Eku 64 Tt Porta"

"Pe Eku 72 Tt Porta" / Sistema 1 Pe 40 Comp./Est. 2 Ante


Sistema 1 Pe 40 Sommonte 2 Ante

SCHÜCO royal 78 St Blindato / Royal S 50 N


Royal S 55 Tt / Royal S 65 Tt

WICONA i60-A / L70-A

038079 A 10 - 10




Full-size scale




Closed striking plate for **HOOK DEVIATORS MULTIBLINDO**. Material: stainless steel. Flat front plate **141x22x5**. Spacers.

For series: 7955* - 7991*.

038083 A 10 - 10



Full-size scale



Closed striking plate for **DEADBOLT DEVIATORS MULTIBLINDO**. Material: stainless steel. Flat front plate **141x22x5**. Spacers. For series: 7951* - 7991*.

038084 B 10 - 10

**For locks for metal frames
series 79***




Code


Status
Single
package

Min. ord.

Multiblindo classic



Full-size scale



Closed striking plate for **CENTRAL LOCK**

MULTIBLINDO. Material: stainless steel.

Flat front plate **187x22x9**.

With latchbolt guide and nylon roller. Spacers.

For series: 7951* - 7955* - 7971* - 7991* - 7911*.

ALCAN abithal Cristal / Abithal Keeper Porta C.E. / Winner Finestra

ALCOA fo 12 Ga / Europa Ga / Fb 12 T.T.

R 35 Reversibile / R 35 Sormonto

ALLCO All.Co 5 Complanare / Export 40 Finestra

Export 45 Tt Finestra / Export 50 Finestra

Export 50 Tt Finestra / Final 40 Finestra / Ites P4 Complanare

Sicurbilin C.E.

ALNOR blindo Block / Montreal G.A.

ALU-K n 53 Complanare / N 55 Tt Complanare

ALU-MEC synthesis 45 Finestra / Synthesis 57 Finestra

Synthesis 60 Tt Finestra

ALUSISSE aIsec 2000 Finestra 59 / AIsec 2000 Finestra 69

BODEGA bga 50 / New Bt 60

DOMAL Domal Break 52 Finestra / Domal Break 70 Finestra

Domal Stopper Pg Finestra

EQUIPE sistema 8000 G.A. Finestra 1 Ante

Sistema 8000 G.A. Finestra 2 Ante

Sistema 8000 Tt Finestra 1 Ante

Sistema 8000 Tt Finestra 2 Ante

ESA giuntall Complanare / Giuntall Porta / Isola Porta

ESEDRA ga 53 Porta / Tt 63 Porta / Tt 75 Porta

INDINVEST alpha 255 Complanare

Alpha 370 Tt Complanare

Alpha 445 Finestra / Alpha 445 Porta 1 Ante

Alpha 658 Tt Complanare / Alpha Blitz 2000 / Alpha Globo 45

Alpha Globo 55 / Gold 400 Complanare / Gold 400 Sormonto

Gold 500 Complanare / Gold 500 Sormonto

Gold 600 Complanare Gold 600 Sormonto

METRA nc 45 International Finestra

Nc 45 Superthermic Finestra / Nc 55 International Finestra

Nc 68 Superthermic Finestra / Nuovo Nc 40 Complanare

Nuovo Nc 40 Sormonto 2 Ante / Nuovo Nc 50 Complanare

MORELLI ma 8300

OCMA fo 47 Finestra / Fc 55 Finestra / Fc 60 Tt Finestra

PASSERINI ekip 40 Complanare 2 Ante

Ekip 40 Evoluzione 2 Ante

Ekip 40 Sormonto 2 Ante / Ekip 50 Complanare 2 Ante

Ekip 50 Sormonto 2 Ante / Ekip Maastricht 53 Finestra

Ekip Maastricht Th 60 Finestra

Ekip Maastricht Th 68 Finestra

Ekip Thermo 53 Finestra 2 Ante

PROFILATI "Pe Eku 53 Finestra"


"Pe Eku 64 Tt Finestra"

"Pe Eku 72 Tt Finestra"


Sistema 1 Pe 50 Comp./Est. 2 Ante

Sistema 1 Pe 50 Sormonto 2 Ante

038085 C 10 - 10



Full-size scale



Closed striking plate for **HOOK DEVIATORS**

MULTIBLINDO. Material: stainless steel.

Flat front plate **141x22x9**. Spacers.

For series: 7955* - 7991*.

ALCAN abithal Cristal / Abithal Keeper Porta C.E. / Winner Finestra

ALCOA fo 12 Ga / Europa Ga / Fb 12 T.T.

R 35 Reversibile / R 35 Sormonto

ALLCO All.Co 5 Complanare / Export 40 Finestra

Export 45 Tt Finestra / Export 50 Finestra

Export 50 Tt Finestra / Final 40 Finestra / Ites P4 Complanare

Sicurbilin C.E.

ALNOR blindo Block / Montreal G.A.

ALU-K n 53 Complanare / N 55 Tt Complanare

ALU-MEC synthesis 45 Finestra / Synthesis 57 Finestra

Synthesis 60 Tt Finestra

ALUSISSE aIsec 2000 Finestra 59 / AIsec 2000 Finestra 69

BODEGA bga 50 / New Bt 60

DOMAL Domal Break 52 Finestra / Domal Break 70 Finestra

Domal Stopper Pg Finestra

EQUIPE sistema 8000 G.A. Finestra 1 Ante

Sistema 8000 G.A. Finestra 2 Ante

Sistema 8000 Tt Finestra 1 Ante

Sistema 8000 Tt Finestra 2 Ante

ESA giuntall Complanare / Giuntall Porta / Isola Porta

ESEDRA ga 53 Porta / Tt 63 Porta / Tt 75 Porta

INDINVEST alpha 255 Complanare

Alpha 370 Tt Complanare

Alpha 445 Finestra / Alpha 445 Porta 1 Ante

Alpha 658 Tt Complanare / Alpha Blitz 2000 / Alpha Globo 45

Alpha Globo 55 / Gold 400 Complanare / Gold 400 Sormonto

Gold 500 Complanare / Gold 500 Sormonto

Gold 600 Complanare Gold 600 Sormonto

METRA nc 45 International Finestra

Nc 45 Superthermic Finestra / Nc 55 International Finestra

Nc 68 Superthermic Finestra / Nuovo Nc 40 Complanare

Nuovo Nc 40 Sormonto 2 Ante / Nuovo Nc 50 Complanare

MORELLI ma 8300

OCMA fo 47 Finestra / Fc 55 Finestra / Fc 60 Tt Finestra

PASSERINI ekip 40 Complanare 2 Ante

Ekip 40 Evoluzione 2 Ante

Ekip 40 Sormonto 2 Ante / Ekip 50 Complanare 2 Ante

Ekip 50 Sormonto 2 Ante / Ekip Maastricht 53 Finestra

Ekip Maastricht Th 60 Finestra

Ekip Maastricht Th 68 Finestra

Ekip Thermo 53 Finestra 2 Ante

PROFILATI "Pe Eku 53 Finestra"


"Pe Eku 64 Tt Finestra"

"Pe Eku 72 Tt Finestra"


Sistema 1 Pe 50 Comp./Est. 2 Ante

Sistema 1 Pe 50 Sormonto 2 Ante

038086 B 10 - 10



Full-size scale



Closed striking plate for **DEADBOLT DEVIATORS**

MULTIBLINDO. Material: stainless steel.

Flat front plate **141x22x9**.

Spacers. For series: 7951* - 7991*.

038087 C 10 - 10



For locks for metal frames series 79*



Code

Status
Single package
Multiple package
Min. ord.



Multiblindo classic



Striking plate for **CENTRAL LOCK** MULTIBLINDO.
Material: stainless steel. U-front plate **180x24x6**.
For series: 7951* - 7955* - 7971* - 7991* - 7911*.

Full-size scale



038088 B 10 - 10



Striking plate for **HOOK DEVIATORS** MULTIBLINDO.
Material: stainless steel. U-front plate **134x24x6**.
For series: 7955* - 7991*.

Full-size scale



038089 B 10 - 10



Striking plate for **DEADBOLT DEVIATORS** MULTIBLINDO.
Material: stainless steel. U-front plate **134x24x6**.
For series: 7951* - 7991*.

Full-size scale



038090 B 10 - 10



Striking plate for **CENTRAL LOCK** MULTIBLINDO.
Material: black painted steel. U-front plate **180x22x7**.
For series: 7951* - 7955* - 7971* - 7991 - 7911*.

Full-size scale



038091 C 10 - 10



Striking plate for **HOOK DEVIATORS** MULTIBLINDO.
Material: black painted steel. U-front plate **134x22x7**.
For series: 7955* - 7991*.

Full-size scale

038092 C 10 - 10



Striking plate for **DEADBOLT DEVIATORS** MULTIBLINDO.
Material: black painted steel. U-front plate **134x22x7**.
For series: 7951* - 7991*.

Full-size scale

038093 B 10 - 10



Pair of NYLON front plate **SUPPORTS 22x8** for locks for metal frames with European profile cylinder and double-bit rail frames.
For series: 78* - 96* - 98*.

038019 B 10 - 10














**For locks for metal frames
series 79***



Code

Status
Single
package
Multiple
package
Min. ord.

Multiblindo classic

 <p>Full-size scale</p>	 <p>24 180 3</p>	<p>Striking plate for CENTRAL LOCK MULTIBLINDO. Material: stainless steel. Flat front plate 180x24x3. For series: 7951* - 7955* - 7971* - 7991* - 7911*.</p>	<p>038094 A 10 - 10</p>
 <p>Full-size scale</p>	 <p>24 134 3</p>	<p>Striking plate for HOOK DEVIATORS MULTIBLINDO. Material: stainless steel. Flat front plate 134x24x3. For series: 7955* - 7991*.</p>	<p>038095 A 10 - 10</p>
 <p>Full-size scale</p>	 <p>24 134 3</p>	<p>Striking plate for DEADBOLT DEVIATORS MULTIBLINDO. Material: stainless steel. Flat front plate 134x24x3. For series: 7951* - 7991*.</p>	<p>038096 A 10 - 10</p>
 <p>Full-size scale</p>	 <p>22 180 3</p>	<p>Striking plate for CENTRAL LOCK MULTIBLINDO. Material: stainless steel. Flat front plate 180x22x3. For series: 7951* - 7955* - 7971* - 7991* - 7911*.</p>	<p>038097 C 10 - 10</p>
 <p>Full-size scale</p>	 <p>22 134 3</p>	<p>Striking plate for HOOK DEVIATORS MULTIBLINDO. Material: stainless steel. Flat front plate 134x22x3. For series: 7955* - 7991*.</p>	<p>038098 C 10 - 10</p>
 <p>Full-size scale</p>	 <p>22 134 3</p>	<p>Striking plate for DEADBOLT DEVIATORS MULTIBLINDO. Material: stainless steel. Flat front plate 134x22x3. For series: 7951* - 7991*.</p>	<p>038099 B 10 - 10</p>
	<p>ADJUSTABLE MECHANICAL STRIKER for use with central striking plate MULTIBLINDO series 033160-033161-033162-033163-033173-033174-033175-033176.</p>	<p>040890 B 1 10 10</p>	

