



Certifications



EN12209



DIN 1825

Certifications for fire resistant locks 214* e 216* series



EN 179



Certifications for fire resistant locks 214* and 212* series with emergency function, EN 179 standard



Code

Status
Single
package

Min. ord.



Handles





Plate with handle and cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.

Supplied with: fixing screws for doors up to mm 63.

GREY	032433	D	1	30	30	NO
BLACK	032435	B	1	30	30	NO




Handle set with cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.

Supplied with: handle follower mm 125, fixing screws for doors up to mm 63.

INOX	032412	B	1	30	30	NO
GREY	032413	B	1	30	30	NO
BLACK	032415	A	1	30	30	NO



Handle set without cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.

Supplied with: handle follower mm 125, fixing screws for doors up to mm 63.

BLACK	032515	D	1	30	30	NO
-------	--------	---	---	----	----	----



Code

Status
Single
package

Min. ord.



Handles




Plate with knob and cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.

Supplied with: fixing screws for doors up to mm 63.

BLACK

032465 C 1 30 30 NO




Plate with knob and without cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.


Supplied with: fixing screws for doors up to mm 63.

GREY

032423 D 1 30 30 NO

BLACK

032425 D 1 30 30 NO



Handle set with knob and cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.

Supplied with: fixing screws for doors up to mm 63.

INOX

032402 C 1 30 30 NO

GREY

032403 D 1 30 30 NO

BLACK

032405 B 1 30 30 NO




Code

Status
Single package
Multiple package

Min. ord.




Handles



Handle set with knob and without cylinder hole.

For fire resistant doors and panic exit fire resistant doors **EN179**.
Supplied with: fixing screws for doors up to mm 63.


GREY	032503	D	1	30	30	NO
BLACK	032505	D	1	30	30	NO



External plate without handle/knob, with cylinder hole.

For fire resistant doors and panic exit fire resistant doors.
Supplied with: fixing screws for doors up to mm 63.

BLACK	032455	C	1	30	30	NO
-------	---------------	---	---	----	----	----



External plate without handle/knob without cylinder hole.

For fire resistant doors and panic exit fire resistant doors.
Supplied with: fixing screws for doors up to mm 63.

BLACK	032445	C	1	30	30	NO
-------	---------------	---	---	----	----	----



Code

Status

Single
package

Multiple
package

Min. ord.



Accessories



Square spindle mm 9, length mm 125


947900 C 10 - 10 NO



Split square spindle mm 9
mm 55/38
mm 55/55

947910 B 10 - 10 NO

947920 B 10 - 10 NO



Square spindle mm 9, length mm 62, with seeger

947930 C 10 - 10 NO

